Dyspnée



Contexte

La dyspnée est un symptôme particulièrement anxiogène pour le patient. La sensation subjective de dyspnée n'est pas prédictive du type et de la sévérité de la pathologie sous-jacente.

Etiologies des dyspnées

Fréquentes en médecine générale :

Asthme

Exacerbation de BPCO

Bronchite aigue

Pneumopathie

Décompensation d'insuffisance cardiaque gauche

Hyperventilation

A ne pas rater :

Pneumothorax

Embolie pulmonaire

Pleurésie

Acidocétose diabétique

Œdème aiguë du poumon

Obstruction des voies aériennes supérieures

Pneumopathie d'inhalation

Hémorragie aiguë



Indications de l'ECG

Lorsque le tableau clinique fait suspecter une pathologie pouvant donner des signes ECG..

Q

Pathologies à rechercher à l'ECG

- → Syndrome coronarien aigu
- → Embolie pulmonaire
- → Fibrillation auriculaire / Flutter auriculaire
- → Tachycardie ventriculaire

Références

- Hasselgren M, Arne M, Lindahl A, Janson S, Lundbäck B. Estimated prevalences of respiratory symptoms, asthma and chronic obstructive pulmonary disease related to detection rate in primary health care. Scand J Prim Health Care 2001;19:54-7
- Okkes IM, Oskam SK, Lamberts H. The probability of specific diagnoses for patients presenting with common symptoms to Dutch family physicians. J Fam Pract 2002;51:31-6.